

wireless Solar Siren

Fireproof ABS housing, 105 sound pressure,
AC 110V-240V,USB 5V ,solar Power supply,
color(red/blue optional).



SMQT

• *Parameter*

SMQT

| | |
|------------------------------------|---|
| Backup Power | 3.7V 1800mAh 18650 tipo di batteria ricaricabile a 9V 6F22 batteria 1 |
| corrente di uscita Pannello solare | In condizioni di luce 2000lux $\geq 4\text{mA}$ |
| Volume massimo | 110dB |
| Corrente massima di allarme | & Lt; 500mA |
| corrente di standby | & Lt; 1 mA |
| Batteria in standby | & Lt; 45 giorni (nessuna condizione di luce) |
| Frequenza radio | 315MHZ |
| Condizioni d'uso | Temperatura -10 °C ~ + 55 °C Umidità relativa $\leq 80\%$ (non condensante) |
| Materiale alloggiamento | PC + ABS + anti-UV |
| dimensione | 309 * 230 * 80 (mm) |

• *Introduction*

SMQT

PRODUCT PICTURE



Electro meccanici sirena a motore elettrico, come la sirena solare

strobo elettronico uso con il sistema di allarme.

• *Dimension*

SMQT



• *Feature*

SMQT

PRODUCT FEATURE



EB-168W

1. Waterproof Shell →

2. Intelligent Control →

*3. Lithium batteries,
solar charger* →

4. Tamper alarm →

Your hearing, you kown, no worry!



Solar power



Wireless outdoor solar strobe light siren

Wireless connection



Apply for Wireless home alarm system

• Packaging & shipping

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair