Parameter

SMQT

Backup Power	3.7V 1800mAh 18650 tipo di batteria ricaricabile a 9V 6F22 batteria 1
corrente di uscita Pannello solare	In condizioni di luce 2000lux ≥4mA
Volume massimo	110dB
Corrente massima di allarme	& Lt; 500mA
corrente di standby	& Lt; 1 mA
Batteria in standby	& Lt; 45 giorni (nessuna condizione di luce)
Frequenza radio	315MHZ
Condizioni d'uso	Temperatura -10 ℃ ~ + 55 ℃ Umidità relativa ≤80% (non condensante)
Materiale alloggiamento	PC + ABS + anti-UV
dimensione	309 * 230 * 80 (mm)

Introduction

SMQT

PRODUCT PICTURE



Electro meccanici sirena a motore elettrico, come la sirena solare

strobo elettronico uso con il sistema di allarme.

•Dimension

SMQT

•Feature

SMQT

PRODUCT FEATURE

EB-168W

1.Waterproof Shell

2.Intelligent Control

3.Lithium batteries, solar charger

4.Tamper alarm

Your hearing,you kown, no worry!

Solar power

Wireless outdoor solar strobe light siren

Wireless connection

Apply for Wireless home alarm system

•Packaging & shipping

SMQT

•Office show

SMQT

•Exhibition

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair