




specificazione

Nome del prodotto:	Rilevatore di fumo wireless autonomo
Dimensione:	Ø5.5"dia., 1.6"ht.
Corrente statica:	Meno di 12µA
Corrente di allarme:	Meno di 15mA
Tensione di funzionamento:	DC 9V
Allarme audio:	85dB a 10 piedi
Batteria:	Backup della batteria da 9 V per almeno 1 anno
Area di protezione:	6 m di altezza, 60 m²
Pulsante di prova:	Simula elettronicamente la condizione di fumo, provocando l'allarme dell'unità.
Reset allarme:	Automatico quando il fumo si cancella
LED indicatori:	LED ROSSO intermittente
DC Power:	Allarme audio e rapidamente
Allarme locale:	LED rosso lampeggiante



Quali caratteristiche del nostro rilevatore di fumo?



Suitable for home, office, factory, hotel, school, bank..etc.



TIRO IN GENERE



VETRINA



SPETTACOLO DELL'UFFICIO



CLIENTE



ESPOSIZIONE



CERTIFICATO



COME COOPERAZIONE



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer