Codice QR WeChat Mini Program e output in formato WG RFID 13,56MHz Lettore di schede per sistema di controllo accessi alla porta

Il parametro principale di MQ-360R

Nome:	**Codice QR WeChat Mini Program e output in formato WG RFID 13,56MHz Lettore di schede per sistema di controllo accessi alla porta**
Numero di modello:	MQ-360R
Alimentazione elettrica:	DC 12V
Risorsa codice QR:	Mini programma WeChat
Modalità lettura QR:	COMS
Angolo di lettura QR:	> 80 gradi
Velocità di lettura QR:	<0.01s
Tipo di carta RFID:	IC (13.56Mhz)
Distanza di lettura:	3 ~ 10 centimetri
Dimensione:	114 * 74 * 21 (mm)
Colore:	Nero
Peso:	0.15kg
OEM:	supportato

Che caratteristiche hanno MQ-360R?

Size

Appearance

RFID Card &WeChat Mini Program Open door

WeChat Scan to get
Mini Program



After the user's mobile phone WeChat added "QROPEN" applet, click "Register" to display the user card number (8-digit decimal) generated by the applet by default. The card number is fixed for a long time.

Each time the user uses it, just click "Open Code" to display a 10-minute valid QR code. Then, after brushing the code on the access control, the access control will identify the user's card number, timeout or super time. After that, the access control will not be accepted. The user applet card number is fixed and will not change with the change of the QR code.

When a guest visits, the user opens the "open code" and sets the effective time and number of the QR code. Click "Generate QR Code" to refresh a QR code immediately. The QR code does not need to be authorized again! After the user takes a screen shot, they use the online chat software such as WeChat to send the guest, and the guest can open the door within the set time and number of times.

Wire diagram



Applicable place



Che ne dici di un'altra scelta?

NFC
1 2 3
4 5 6
7 8 9
ESC 0 ENT
1 2 3
4 5 6
7 8 9
* 0 #
CARD HERE