• Parameter

SMQT

specificazione	
Nome del prodotto	Motion Detector Pir via cavo
Modello	EB-181
Dimensione	89 × 52,5 × 38,5 (mm)
tensione Operationg	12V DC
corrente comsumption	18mA 12 DC
Rilevazione della distanza	12m
Rilevazione dell'angolo	110 °
uscita di allarme	NO / NC
modalità di installazione	Montaggio a parete
altezza di installazione	2.2m
Materiale	custodia ABS a prova di fuoco
GUIDATO	ON / OFF (opzionale)
Temperatura di lavoro	-10 ℃ ~ 50 ℃
colore Shell	bianca
Peso netto	0.096kg

• Introduction

SMQT

Mini sensore di movimento di PIR è il sensore cablata rivelatore di PIR per il sistema di allarme.

•Feature

SMQT

controllo logico 1.Intelligent, anti falso allarme in modo efficiente compensazione della temperatura 2.Auto
Regolazione conteggio 3.Pulse

interferenza della luce bianca 4.Anti







+12V	DV ANODE
GND	DV CATHODE
ALARM	ALARM OUTPUT PORT
TAMPER	ANTI-TEMPER OUTPUT PORT

Detecting Area View



Planform



Side View

•*Packaging & shipping*

SMQT

• *Office show*

SMQT

• *Exhibition*

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair