

Nome	PIR senza fili
Modello	EB-187
Dimensione:	107 × 59 × 39,5 (mm)
Tensione di esercizio:	3V DC (batteria 2AA)
Corrente statica:	≤25uA
Corrente di allarme:	≤15mA
Distanza di rilevazione:	12m
Rilevazione dell'angolo:	110 °
Frequenza di trasmissione:	315MHz / 433MHz (2262 codifica chip) (opzionale)
distanza di trasmissione:	200m (nello spazio all'aperto)
Altezza di installazione:	circa 2,2 m
Modalità di installazione:	montaggio a parete
Materiale:	custodia ABS a prova di fuoco

PRODUCT PICTURE



La rilevazione allarme del sensore di movimento di PIR con 12V

utilizzato in giardino, casa, ufficio, negozio di rilevatore di movimento.

• Dimension

SMQT




• Feature

SMQT

1. ASIC adottato.
2. Auto. compensazione della temperatura
3. Auto. segnale di allarme
4. Send da RF.
5. Adjustable distanza di rilevamento.
6. indicazione della batteria
7. Low. disegno
8. SMT adottato.

PRODUCT PROFILE




- | | |
|-------------------|----------------|
| ① Filter | ⑦ Power Switch |
| ② Alarm indicator | ⑧ Antenna |
| ③ Code Jumper | ⑨ LED Jumper |
| ④ Low battery LED | ⑩ IR Sensor |
| ⑤ Test button | ⑪ Delay Jumper |
| ⑥ Range jumper | ⑫ Battery |




PIR sensor


Side view




Overhead view



Detecting Area View



Planform



Side View

• Packaging & shipping

SMQT



● *Office show*

SMQT®



● *Exhibition*

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair