

Abs Fire Retardant recessed Magnetic Door Contact Sensor With Copper wire port Terminals



PANGUNAHING PARAMETER NG EB-135L

Pangalan ng Produkto:	Naka-embed na pag-install normal close magnetic contact switch sensor
Numero ng modelo:	EB-135L
Gumaganang boltahe:	Max DC 100
Kasalukuyang gumagana:	Max 0.5A
Konsumo sa enerhiya:	10W
Port ng interface:	NC/COM
induction gap:	10~20mm
Sukat:	Bahagi ng tambo:12(Diameter)*41(H)(mm) Bahagi ng magneto:12(Diameter) *33(H)(mm)
Paraan ng pagkakabit:	Naka-embed na pag-install
Angkop para sa:	Lahat ng uri ng door access control system at burglar alarm system
Materyal:	ABS housing PCB boardReed switch
Kulay ng pabahay:	Puti/Kape (opsyonal)

Timbang:	Yunit:15g 40 pares bawat bag, bawat bag timbang 600g
Garantiya:	2 taong warranty
OEM:	Maligayang pagdating OEM

EB-135L"S FEATURE SHOW

2 Color optional




White




Brown


Size



NC mode working principle



Installation



Packaging




× 20

20 pairs per bag

PAANO ANG IBANG PAGPILI?



EB-131A



EB-131B



EB-132



EB-133



EB-134



EB-135A



EB-135D



EB-135L



EB-136



EB-137A/B



EB-138A/B/C



EB-139A/B



EB-139D



EB-139C



EB-140



EB-141

SMQT show



Team



Factory

CERTIFICATE OF CONFORMITY



