

Kontrol access sa pag-access ng pinto sa mukha at fingerprint ng biometric mambabasa





EA-903'S MAIN PARAMETER


Parameter	
Pangalan:	Biometric na mukha at fingerprint recognition door access control reader
Kapangyarihan supply:	DC12V Kasalukuyang & lt; 350mA
Dimensyon:	160mm × 92mm × 30mm
Timbang:	0.28kg
Woring temperatura:	- 20 °C ~ 50 °C
Paggawa halumigmig:	10% ~ 85%
Kakayahang imbakan:	100,000 record capacity, 500 pcs face, 1500 pcs fingerprint, 500 pcs password
Bilis ng pagkilala:	≤0.5s
FRR:	& lt; 0.01%
Malayo:	& lt; 0.001%
Paraan ng komunikasyon:	TCP / IP, U disk, RS485
WG signal:	Adjustable WG26 / WG34

Keyboard pagsasaayos:	Sampung numero ng mga susi at anim na function mga susi
Wika ng menu:	10 wika adjustable (Tsino, tradisyon Tsino, Espanyol,Koreano, Hapon, Vietnamese, Turkish, Indonesian, Thai)

MGA TAMPOK SA EA-903 DISPLAY

Device introduction





Back plate fixed hole

Back plate fixed hole

Back plate fixed screw hole




U disk port

Reset hole

Back plate fixed screw hole

Wire diagram



Packaging



PAANO TUNGKOL SA IBANG PILIPINAS?

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

