

Wired embedded magnetic contact

NC/NO mode optional

35±5(mm) gap distance


Max voltage≤100VDC, Max current≤500mA

Suitable for metal door or window

White/Brown color optional

24g weight

SMQT®



Pangalan:	Murang recessed magnetic door lock para sa wooden door / window EB-136
Dimensyon:	Φ19 * 25mm
Operating Voltage:	12V DC (isang 23A baterya)
Buhay ng baterya:	2-3 taon
MAX Kasalukuyang:	≤ 500mA
MAX Boltahe:	≤100VDC
MAX Rating:	≤10W
Mode ng Code:	WALANG / NC
Material:	fireproof ABS housing
Gap:	20 ± 5mm
Suit para sa:	kahoy na pinto o bintana
Timbang:	8g

Ano ang Mga Tampok ng aming magnetic contact EB-136?



1. Round magnetic contact for window /wooden.
2. fireproof ABS housing material
3. Gap: $20\pm 5\text{mm}$ Color : White /Brown ;Contact mode: NO/NC

IN-KIND SHOOTING



APLIKASYON



IPAKITA ANG KASO



IPAKITA ANG TANGGAPAN



CUSTOMER



PAG-IBIG



CERTIFICATE



PAANO MAGAGAMIT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

Q: Maaari ba akong magkaroon ng sample order?

A:Oo, handa kaming mag-alok ng sample sample order sa iyo para sa kalidad ng pagsubok. Ang mga halo-halong sample ay katanggap-tanggap.

Q: Ano ang lead time?

A:Ang sample ay nangangailangan ng 1-3 araw ng trabaho, ang mass production time ay nangangailangan ng 10-15 araw ng trabaho para sa order na mas mababa sa 5000pcs.

T: Mayroon ka bang limitasyon sa MOQ?

A:Ang EXW MOQ ay 100pcs sa ilalim ng blangko na kahon.

Q: Paano mo ipapadala ang mga kalakal at kung gaano katagal dumating ito?

A:Ang sample ay ipapadala sa iyo sa pamamagitan ng opsyonal na serbisyo sa pagpapadala (courier, air, at dagat). Ang oras ng paghahatid depende sa serbisyo sa pagpapadala.

Q: Paano namin magpapatuloy ang order kung mayroon akong logo upang i-print?

A:Una, maghahanda kami ng likhang sining para sa visual na kumpirmasyon. Kung ang kulay at posisyon ay tama, gagawin namin gumawa ng unang sampling mula sa pabrika ng sutla sa pag-print at kumuha ng litrato para sa iyong pangalawang kumpirmasyon bago maramihang paggawa.

T: Gumagana ba ang alarm panel sa anumang sensor?

A:Ang panel ng alarma ay maaaring gumana sa lahat ng mga dry contact wired detectors at wireless detector, kabilang ang halos lahat

ng mga wireless sensor mula sa mga tagagawa ng Tsino. Ang wireless encode at decode ay EV1527 o ang aming mga wireless na sensor.