

Converter USB to RS485

Compatible with EIA/TIA RS-232,RS-485 standard

Interface:USB interface

RS-485 interface

Transmission medium:normal cables,twisted-pair cables or shielded cables

57.6kbps in 1200m transmission speed(short distance can reach 230kbps)

Transmission distance:5m(USB port)

1200m(RS485 port)

7-12V input voltage

SMQT



• Parameter

SMQT

Pangalan ng Produkto	Converter USB sa RS485
modelo	EA-02
sukat	94 × 35 × 18 (mm)
serial tampok	Interface katugma sa EIA / TIA RS-232C, RS-485 standard
electrical Interface	USB port, DB9 babae connector, RS-485 bahagi, DB9 lalaki connector sa terminal (limang wire).
Way ng pagtatrabaho	Asynchronous half-duplex
transmission medium	Ordinary line, baluktot pares o shielded cable
transmission rate	Hanggang sa 57.6kbps (close up sa 230kbps rate) sa 1200m distansya
transmission distansya	5 m (USB end) 1200 m (RS-485 terminal)
kulay	kulay-abo
paggamit	Access control system
Kamag-anak Humidity	5% ~ 95%
Environment temprature	-10 °C ~ 85 °C
sulat ng kasunduan	malinaw
net timbang	0.116kg

• Introduction

SMQT

USB sa RS485 converter para sa pinto access control system software gumana sa computer.



• *Feature*

SMQT



Converter USB to RS485
Interface compatible with EIA
/ TIA RS-232C, RS-485 standard

Electrical Interface:

USB port, DB9 female connector
RS-485 side, DB9 male connector

Transmission rate:

Up to 57.6kbps (close up to 230kbps
rate) in the 1200m distance

Transmission distance:

5 m (USB end) 1200 m (RS-485 terminal)

Suitable for data transmission system

0.116kg weight

Welcome OEM and 2 years quality warranty

switch power supply



Door release button



Access control keypad

Converter USB to RS485 EA-02



PC

• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....