

detalye	
Pangalan ng Produkto	Shutter Door Magnetic Contact
Model number	EB-137A / B
Mga Dimensyon	106L * 38W * 10H (mm)
koneksyon	Karaniwan bukas / normal sarado
operating distance	60 ± 10 (mm)
Maximum na presyon	≤100VDC
Load kasalukuyang	≤500mA
Working Power	≤10W
pabahay Material	A sink haluang metal B na may bracket
saklaw	shutter pinto
timbang ng produkto	254g / 154g



137A(Alloy-zn)

137B(Alloy-Al)

Shutter pinto magnetic contact ay inilaan upang magbigay ng isang alarma signal output garages, warehouses, pabrika, mga tindahan at iba pang mga kumplikadong kapaligiran, karaniwang gawa sa aluminyo haluang metal at sink haluang metal, ay maaaring gumana sa malupit na kapaligiran, pagyanig epekto ay malakas, matibay, madaling makapinsala sa ibabaw ng pilak kalupkop upang maiwasan ang oksihenasyon ng produkto, na may isang maganda ang effects, line edge trapezoidal disenyo ay maaaring maiwasan ang pagiging nasira forklifts, hindi kinakalawang na asero proteksyon tube ay maaaring mapahusay ang kaligtasan ng produkto at pagiging maaasahan, bracket ay maaaring nababagay pinto shutter sa

ground sensing distance iron switch.

● Dimesion Picture

SMQT




● Installations

SMQT



● Features

SMQT



● Packing list

SMQT

Listahan packaging		
Pangalan ng Produkto	Shutter Door Magnetic Contact	
modelo	EA-137A	EA-137B
QTY	50pcs / CTN	
Packing Mismong	37.5L * 30W * 29.5H (cm)	
Packing timbang	14.14kg	15.5kg





● Office

SMQT®



● Exhibitions

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....