

pangalan	Ceiling-inimuntar PIR Detector
modelo	EB-183
Sukat:	Φ106x36 (mm)
Operating boltahe:	DC12V
Comsumption kasalukuyang:	18 MA
Tiktik distansya:	Φ8m
Tiktik anggulo:	360 °
Alarm output:	NO / NC
Installation mode:	Ceiling-inimuntar
Installation height: tungkol sa:	2.2m-3.6m
Material:	hindi masusunog ABS pabahay
LED:	ON / OFF (opsyonal)

1-12v indoor infrared motion detector EB-183

2-Sukat: 107 * 59 * 40 mm

3-Material: hindi masusunog ABS pabahay



4-PIR sensor

5-OEM

6.used sa gsm alarma, seguridad alarma system.

Ang PIR sensor alarma ay ang mini passive infrared motion sensor kisame sa 12V.

Detecting Area View



● Dimesion Picture

SMOT®



● Installations

SMOT®



● Features


SMQT®

1. Mataas na katatagan, pinagtibay advanced na teknolohiya sa pagpoproseso ng signal at magbigay ng superhigh detection kakayahan at anti error alarma.
2. angkop para sa kaligtasan ng residential bahay, villa, pabrika, mga merkado, warehouses, opisina ng gusali etc.

Ang mga tampok na larawan ng pir kisame-inimuntar sensor ay nagpakita bilang sundin:



inside picture of
detector



wired connect PCB



Tamper on PCB



ceiling mounted sensor

● Office

SMQT



● Exhibitions

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....