

New

Access control & Alarm product supplier





Pagtutukoy

| | |
|---------------------------|---|
| Pangalan | LCD Biometric face & fingerprint & password access controller keypad |
| Power supply | DC12V |
| Kasalukuyang | & lt; 350mA |
| Dimensyon | 160mm * 92mm * 30mm |
| Timbang | 0.28kg |
| Woring temperature | -20 °C ~ 50 °C |
| Paggawa ng kahalumigmigan | 10% ~ 85% |
| Kakayahang imbakan | 100,000 record capacity, 500 pcs face, 1500 pcs fingerprint, 500 pcs password |
| Bilis ng pagkilala | □ 0.5s |
| FRR | & lt; 0.01% |
| Malayo | & lt; 0.001% |
| Paraang komunikasyon | U disk, RS485, TCP / IP |
| WG signal | Adjustable WG26 / WG34 |
| Pagsasaayos ng keyboard | Sampung mga key ng numero at anim na key ng function |
| Wika ng wika | 10 mga wika na adjustable (Intsik, tradisyon Tsino, Espanyol, Korean, Hapon, Vietnamese, Turkish, Indonesian, Thai) |



Device introduction





Back plate fixed hole

Back plate fixed hole

Back plate fixed screw hole



U disk port

Reset hole

Back plate fixed screw hole

Packaging



ATING TEAM



KAUGNAYAN PRODUCT

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技




SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

