

Wired metal magnetic contact sensor

NO/NC Code mode optional

50±10(mm) gap distance

Max voltage≤100V DC,Max current≤500mA

Suitable for metal door or window

Material:mode A is Alloy-zn

mode B is ABS

Silver color

Weight:mode A 158g,mode B 62g

SMQT®



• Parameter

SMQT®

Mga Dimensyon	106 * 16 * 16 (mm)
koneksyon	Karaniwan bukas / normal sarado
operating distance	50 ± 10 (mm)
Maximum na presyon	≤100VDC
load kasalukuyang	≤500mA
working Power	≤10W
pabahay Material	A sink haluang metal B ABS
kulay hugis	pilak
saklaw	Iron pinto o window
timbang ng produkto	158g / 62g

• Introduction

SMQT®

Ang magnetic pinto contact switch ay ang magnetic pinto sensor switch para sa pinto access control system at alarma sistema ng seguridad.

PRODUCT PICTURE



PRODUCT FEATURE



Wired magnetic contact sensor

NO/NC code mode optional

$50\pm 10(\text{mm})$ gap distance

MAX voltage: $\leq 100\text{V DC}$, MAX current $\leq 500\text{mA}$

Material: mode A: Alloy-zn, mode B: ABS

Suitable for metal door or window

Color: grey silver

Weight: mode A: 158g mode B: 62g

Welcome OEM and 2 years quality warranty

WHY CHOOSE US ?



1.7 Years golden supplier in Alibaba platform.

2.Our product follow CE standard.

3.Provide 2 years quality warranty.

4.Welcome OEM and ODM.

• *Packaging & shipping*

SMQT[®]



• *Office show*

SMQT[®]



● *Exhibition*

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair