

Wired magnetic contact sensor

Fireproof ABS material shell

NO/NC model optional

Brown/white color optional

20±5(mm) gap distance

Suitable wooden door or window

14g weight

SMQT®



• Parameter

SMQT®

Mga Dimensyon	41L * 27W * 8 (mm)
koneksyon	Karaniwan bukas / normal sarado
operating distance	20 ± 5 (mm)
Maximum na presyon	≤100VDC
Load kasalukuyang	≤500mA
Working Power	≤10W
pabahay Material	ABS hindi masusunog materyal
hugis kulay	Brown / White
saklaw	Non-ferrous pinto o window
timbang ng produkto	12g

• Introduction

SMQT®

Ang pinto magnetic contact switch detector ay ang pinto motion sensor para sa pinto bukas proximity sensor alarma aparato.

PRODUCT PICTURE



PRODUCT FEATURE



Dimension: 34×41×6.5(mm)

NO/NC mode optional

20±5(mm) distance gap

MAX voltage ≤ 100VDC, MAX current ≤ 500mA

Fireproof ABS material shell

White/Brown color optional

Suitable for wooden door or window

14g weight

2 years quality warranty, welcome OEM



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

