

# Shutter door magnetic contact sensor

*NO/NC code mode optional*

*60±10(mm) gap distance*

*Mode A&B: Max voltage≤100VDC*

*Max current≤500mA*

*Mode C: Wireless 433mhz(1527),12V DC*

*Alloy-zn and alloy-al Material*

*Suitable for shutter door*

*Wiegth: A:210g B:280g C:290g*

**SMQT**



## • Parameter

**SMQT**

detalye	
Pangalan ng Produkto	Shutter Door Magnetic Contact
Model number	EB-137A / B
Mga Dimensyon	106L * 38W * 10H (mm)
koneksyon	Karaniwan bukas / normal sarado
operating distance	60 ± 10 (mm)
Maximum na presyon	≤100VDC
Load kasalukuyang	≤500mA
Working Power	≤10W
pabahay Material	A sink haluang metal B na may bracket
saklaw	shutter pinto
timbang ng produkto	254g / 154g

## • Introduction

**SMQT**

Ang magnetic shutter pinto contact switch ay ang commercial pinto magnetic sensor at door electric contact detector para sa pinto o window sistema ng alarma.

# PRODUCT PICTURE



• *Feature*


**SMQT**

# PRODUCT FEATURE

EB-137A

EB-137B

EB-137C



## • Packaging & shipping

SMQT



## • Office show

SMQT



## • Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....