


Murang Access Control Proximity Rfid Em Card 125khz/13.56Mhz Reader Standalone Access Control Keypad reader



Single door access control keypad

1000 user capacity / 125KHz&13.56MHz optional/ WG output&input

Pangunahing parameter ng EA-84

Pangalan ng Produkto:	Murang Presyo ng Single Door Standalone Rfid Security Access Control/Mga Keypad ng pinto	
modelo:	EA-84C	EA-84D
dalas ng RFID:	IC(13.56Mhz)	ID(125Khz)
Distansya ng pagbabasa:	2~5cm	
Kapasidad ng gumagamit:	1000 Card	
Power supply:	DC 12±10% V	
WG signal:	Input / Out put	
Static na kasalukuyang:	≤100mA	
Oras ng pagbubukas ng pinto:	5s	
Temperatura ng pagtatrabaho:	0°C~60°C	
Paggawa ng kahalumigmigan:	0%~95%	


Temperatura ng imbakan:	0°C~60°C
dimensyon:	120x78x22mm (error ± 3mm)
Materyal sa pabahay:	PC
Kulay:	Itim na eroplano at Silver na frame
Timbang:	0.5kg

Anong mga tampok ang EA-84?



Appearance





Indicator light


Card reading area

Input keyboard


Door bell button

Relay
Wire port


Buzzer



13.56MHz/125KHz optional




EA-84C:13.56MHz



EA-84D:125KHz

Working diagram



Where to use?



Home



Office



Laboratory






Hospital




Machine room

Packing list



Paano ang ibang pagpipilian?



SMQT show




Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair