




Pagtutukoy

Pangalan ng Produkto:	Standalone wireless smoke detector
Laki:	Ø5.5"dia., 1.6"ht.
Static Current:	Mas mababa sa 12μA
Kasalukuyang Alarm:	Mas mababa sa 15mA
Operating Voltage:	DC 9V
Audio Alarm:	85dB sa 10 talampakan
Baterya:	Back up ng 9V para sa hindi bababa sa 1 taon
Lugar ng proteksyon:	6m mataas, 60 m ²
Pindutan ng pagsubok:	Ang elektronikong simulates Usok kondisyon, nagiging sanhi ng Unit sa alarma.
I-reset ang alarm:	Awtomatikong kapag Inalis ang Usok
LED Indicator:	Intermittent RED LED
DC Power:	Audio alarma at mabilis
Lokal na Alarma:	Kumikislap na Red LED



Ano ang mga katangian ng aming detektor ng usok?



Suitable for home, office, factory, hotel, school, bank..etc.



IN-KIND SHOOTING



IPAKITA ANG KASO



IPAKITA ANG TANGGAPAN



CUSTOMER



PAG-IBIG



CERTIFICATE



PAANO MAGAGAMIT



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer