

Converter RS232/485 to TCP/IP

Interface :Ethernet(10BASE-T),RS232/485 with 6 wiring terminals

Format:TCP/UDP/IP/ICMP,Ethernet,ARP

300bps-115200bps transmission speed

DC 4.5-5.5V working voltage

Serial converter is TCP/IP protocol of two-way conversion transmission equipment,changing the traditional serial port communication to network communication, to achieve fast serial device networking .

SMQT



• Parameter

SMQT

Pangalan ng Produkto	TCP / IP sa RS485 / RS422 Converter
modelo	EA-06
sukat	92L * 63W * 23h (mm)
Panlabas na supply ng kapangyarihan	DC4.5V ~ 5.5V
serial protocol	TCP / UDP / IP / ICMP, Ethernet, ARP
Communication Interface	Ethernet (10Base-T), RS232 / 485 na may terminal switch
signal indikasyon	Tatlong signal lights TXD RXD POWER
transmission medium	Shielded pinaikot pares wire
transmission rate	300bps ~ 115200bps
paghihiwalay	3500VRMS
kulay	kulay-abo
paggamit	Paglipat ng datos
Kamag-anak Humidity	5% ~ 95%
Environment temprature	0 °C ~ 50 °C

• Introduction

SMQT

Ang serial sa ethernet converter ay RS485 / RS422 sa TCP / IP converter para sa pinto access control system.





Converter RS232/485 to TCP/IP

Dimension: 96×63×23(mm)


Transmission speed: 300bps-115200bps

Format: TCP/UDP/IP/ICMP/Ethernet/ARP

Interface: Ethernet(10Base-T), RS232/485

with 6 wiring terminals

Welcome OEM and 2 years quality warranty





• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

