

● Parameter

SMQT®

Mga Dimensyon	41L * 34W * 6.5H (mm)
koneksyon	NC / HINDI
operating distance	20 ± 5 (mm)
Maximum tibay	≤100VDC
Load kasalukuyang	≤500mA
Working Power	≤10W
pabahay Material	ABS hindi masusunog materyal hugis
kulay	Brown / White
saklaw	Non-ferrous pinto o window
timbang ng produkto	14g

● Introduction


SMQT®

Ang magnetic contact sensor sa wired at wireless mode. This modelong ito wired magnetic pinto contact switch na ginagamit sa alarm security. Back ng malagkit tape upang magbigay ng madaling-install sa ang pinto o window. Ideal seguridad opisina, bahay, mga tindahan, ang isang tao entrance. When illegally bukas na pinto o window ito agad magpadala ng isang alarma signal, ang control panel na natatanggap ang signal ng alarma agad, ang 120-decibel alarma tunog.

Ang magnetic contact switch na may wired at wireless. The wired magnetic pinto sistema ng alarma.


● Dimesion Picture

SMQT®




● Installations

SMQT



● Packing list

SMQT



Dami	1200 / box
Packing Mismong	37.5L * 30W * 29.5 (cm)
Packing timbang	16.38Kg

● Office

SMQT



● Exhibitions



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....