Wired PIR Dual detect sensor,Microwave detector, Infrared sensor



Specification	
Product name	Wired PIR Dual detect sensor,Microwave detector, Infrared sensor
Model	EB-174
Size	93*52*44(mm)
Working voltage	9~15V DC
Working Current	30MA
Detecting angle	110°
Working temperature	-20℃~50℃
Detecting speed	0.2~7m/sec
Install Height	2.2m
Storage temperature	-25℃~65℃
Sensitivity	Adjustable
PIR Feature	Infrared sensro type :Dual elements PIR sensor Auto temperature compensation:NIC compensation Detecting distance:8~10m Detecting angle:110° Alarm duration:PULSE1:10sec. PULSE2:30 sec

Alarm indicator	Red LED Light(close if need)
Alarm output	NC/NO optional,28V DC,0.15A
Anti-tamper switch	NC,28V DC,0.15A
Operating humidity	95%
Color	White
Weight	0.1kg

Product Features

What Features of our pir sensor EB-174?





Detection zone:



Top view



Side view
(2.8m intall height)



Side view
(2.4m intall height)

Installation Notes:



Indoor use



Outdoor | Sun light | Motion | Window | Pets

Product Picture

IN-KIND SHOOTING





APPLICATION





This model wired motion detector product is widely use in all kinds of burglar alarm system, Such as Villa ,Home ,Factory, Warehouse, Office, Bank etc.

Related Items

SHOW CASE

Company Information

OFFICE SHOW

CUSTOMER

EXHIBITION

CERTIFICATE

HOW TO COOPERATION

Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel
can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.