

Wired magnetic contact sensor

NC/NO mode optional

20±5(mm) gap distance


MAX voltage≤100V DC,MAX current≤500mA

Suitable for wooden door or window

White/Brown color optional

12g weight

SMQT



• Parameter

SMQT

detalye	
Pangalan ng Produkto	Wired Magnetic Door Contact Sensor
Model number	EB-134
Mga Dimensyon	24L * 14W * 6H (mm)
koneksyon	Karaniwan bukas / normal sarado
operating distance	20 ± 5 (mm)
Maximum na presyon	≤100VDC
Load kasalukuyang	≤500mA
Working Power	≤10W
pabahay Material	ABS hindi masusunog materyal
hugis kulay	Brown / White
saklaw	Non-ferrous pinto o window
timbang ng produkto	10g

• Introduction

SMQT

Ang magnetic pinto access control system at magnetic pinto alarma ay ang magnetic detector pinto contact switch pinto sensor.


PRODUCT FEATURE



• *Feature*

SMQT

PRODUCT FEATURE



EB-134

Dimension: 24×41×6(mm)

NO/NC mode optional (default is NC mode)

20±5(mm) Gap

MAX voltage ≤ 100VDC, MAX current ≤ 500mA

Suitable for Wooden door or window

Fireproof ABS material shell

White/Brown color optional

Weight 10g

Welcome OEM, 2 years quality warranty

● *Packaging & shipping*

SMQT®



• Office show

SMQT®



• Exhibition

SMQT®

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



.....

2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

