

What specifications of our EB-119S-1?

110v-230v AC standalone gas detector with 85db sound pressure	
Sound and Light alarm	
Working voltage:	110v-230v AC
Standby wattage	≤0.5w
Alarm wattage	≤1w
Warm-up time	180s
Sound pressure	85dB
Alarm level	10%
Working temperature	-10°C~+50°C
Alarm mode	LED indication network output
Sensor fault	Yellow LED on
LCD display	Alarm concentration

What features of our EB-119S-1?



Standalone gas detector for security alarm system

110VAC-230VAC working voltage, 50-60Hz

85dB sound pressure

LCD display: alarm concentration/detect gas

2 years warranty, welcome OEM

IN-KIND SHOOTING



MORE CHOICES















CUSTOMER











EXHIBITION



CERTIFICATION



PACKING & SHIPPING & PAYMENT



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.