

Specification	
Model	EA-82DK
Dimension	96×96×22(mm)
Working voltage	12V ± 3VDC
Working Power	<2W
Card type	125KHz ID
Induction distance	60mm
Capacity of records	10000
Capacity of user	10000
Communication format	RS485
Transmitting rate	9600bps(N,8,1)
Data storage	4M bits FLASH Memory
Shell material	PC
Color	Black/White(optional)
Suit for	home/ office
Environment temprature	-30 ℃~65 ℃
Opern mode	Card/ Card+password/UID +password/Super password
Net weight	0.24kg

what features of our EA-82DK?

1.Using laser carving techniques, keypad with breath background of energy saving lamp

2.Important PC material shell, with strong heat resistance, corrosion resistance

3.Advanced flash storage technology

4.Built-in card reader, with wiegand signal output

5.Secure high-performance, temper device

IN-KIND SHOOTING

APPLICATION



RELATED PRODUCT

OFFICE SHOW

CUSTOMER

EXHIBITION

CERTIFICATION

HOW TO COOPERATE



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples

areacceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.