

| Specification | |
|------------------------|--|
| Model | EA-82DK |
| Dimension | 96×96×22(mm) |
| Working voltage | 12V ± 3VDC |
| Working Power | <2W |
| Card type | 125KHz ID |
| Induction distance | 60mm |
| Capacity of records | 10000 |
| Capacity of user | 10000 |
| Communication format | RS485 |
| Transmitting rate | 9600bps(N,8,1) |
| Data storage | 4M bits FLASH Memory |
| Shell material | PC |
| Color | Black/White(optional) |
| Suit for | home/ office |
| Environment temprature | -30 °C~65 °C |
| Opern mode | Card/ Card+password/UID +password/Super password |
| Net weight | 0.24kg |

what features of our EA-82DK?





- 1.Using laser carving techniques, keypad with breath background of energy saving lamp
- 2.Important PC material shell, with strong heat resistance, corrosion resistance
- 3.Advanced flash storage technology
- 4.Built-in card reader, with wiegand signal output
- 5. Secure high-performance, temper device

IN-KIND SHOOTING



APPLICATION



RELATED PRODUCT



OFFICE SHOW













CUSTOMER













EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express















FAQ

areacceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea), or appointed by buyer, 7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.