

	Specification	
Model	EA-11-2 remote control	
Receiver Dimension	68×48×20(mm)	
Sender Dimension	53x23x10(mm)	
Operating voltage	12V DC	24V DC
Transmitting Frequency	433Mhz/315Mhz(optional)	
Receiver sensitivity	-105db	
Encoding type	Learnign pair button	
Transmitter maximum Qty	30 pcs	
Ouput current	7A	
Applicable temperature	-20°C-45°C	
Applicability	door open	
Usage	Access control sysetm	
Weight	0.106kg	

what features of our EA-11-2 remote control?




- 1.Two channel remote controller
- 2. Power supply DC 12V/24V optional
- 3. Wireless frequency 315Mhz/433Mhz optional
- 4. Suitabel for all kinds of Access control system
- 5.2 years warranty, welcome OEM

IN-KIND SHOOTING



APPLICATION





This port is use for another door

This model 2 channel remote controller is widely use in Access control system, to remote open the door, suitble for Home, Apartment, Office etc.

SIMILAR PRODUCT







OFFICE SHOW













CUSTOMER













EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express



















A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.