### **Dynamic face recognition reader**



### EA-900's main parameter

<b>Product Name:</b>	Biometric Face Recognition Access Control Device and time attendance reader		
Model:	EA-900	Size:	190(L) x90(W) x 26(D) mm
User capacity:	3000	Face capacity:	3000
Record capacity:	User record:100000 Management record:50000	Communication:	TCP/IP,USB
Display size:	color screen 4.7" TFT LCD	Camera:	Two high-definition camera
Infrared sensation:	Yes	Voice output:	Yes
Operating system:	LINUX VER3.6.5	Authentication method:	Face, password
Access control function:	Time period control/anti- submarine/anti-stress alarm function	Attendance function:	on/off work, Overtime
Language:	English/Chinese	Weight:	1.2KG
Door bell function:	Yes(support exteral door bell)	U disk function:	upload/download reistration information ,record
Face matching speed:	≤1.0s	Algorithm version:	Face V4.0

Power management function:	Sleep function	Face recognition mode:	Support1:N or 1:1
FAR/FRR:	0.01%/1%		
Warranty:	2 year	OEM:	Support


#### What feateurs EA-900 have?



:mm

# **Appearance**










## Wire diagram



## **Access control & Time attendance**













Apply to a variety of access control and time attendance sites, such as factories, offices, schools, supermarkets, and so on.

How about other choice?

