2017 High sensitive fire alarm wireless 433mhz/315mhz smoke alarm sensor/detector

Product Introduction



Product Name:	2017 High sensitive fire alarm wireless 433mhz/315mhz smoke alarm sensor/detector
Dimension:	Ф105×40 mm
Operating voltage:	alkaline 9V battery
Alarm volume	≥95dB
Enviroment temp:	-10°C~+50°C
Alarm output:	NO/NC
Alarm mode:	LED indication network output
Detection range:	20 sqm
Reset mode:	auto/power off reset
Weight:	222g

Product Feature

What features of our wireless 433mhz/315mhz smoke alarm sensor/detector ?

CE&ROSH certificate



95db voice alarming


433Mhz/868Mhz. optional

EB-119

Welcome OEM&ODM

Product Display

IN-KIND SHOOTING



Application

APPLICATION



Show Cases

SHOW CASES



Company Information

OFFICE SHOW











CUSTOMERS









EXHIBITION




CERTIFICATION



Our Services

HOW TO COOPERATE



FAQ

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.