



Name	3 beams infrared sensor waterproof, active detector
Detecting distance	Indoor :150m 300m 450m 600m 750m Outdoor:50m 100m 150m 200m 250m(optional)
Operating voltage	13.8~24VDC 11~28VAC
Operating current	40-65mA
Indication speed	50~700m/sec
Anti-demolition output	NC
Environment temperature	-20°C~+50°C
Alarm output	NO/NC
Level adjustment	180°±90°
Vertocal adjustment	±10°
Color	Black
Material	PC resin








IN-KIND SHOOTING



APPLICATION

10V~220V AC input



3 beams perimeter detecor ABE

SHOW CASE



OFFICE SHOW



CUSTOMER



EXHIBITION



CERTIFICATE



HOW TO COOPERATION

Inquiry	Contact Testing&Packing Receiving
Reply	Receive payment Delivery
Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.