

30 meters transfer signal wireless repeater for short detect distance sensor

	Specification
Product name	30 meters transfer signal wireless repeater for short detect distance sensor
Model	EB-121
Dimension	110*58*22(mm)
Weight	0.15kg
Operating voltage	DC 12V
Installation mode	wall-mounted
Frequency	433Mhz
Working temperature	-10°C~+50°C
Suitable for	Wirless Home Alarm system

Product Features

What Features of our wireless repeater?



Expanding wireless signal transmission distance of 50-100 m.

Suitable for all Wireless frequency.

AC adapter standard optional.

EB-121

Used in home wireless security system.

Product Picture

IN-KIND SHOOTING



Related Items

SHOW CASE



Company Information

OFFICE SHOW



CUSTOMER



EXHIBITION



CERTIFICATE



HOW TO COOPERATION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.