



4 wire smoke detector for fire alarm system with NO NC output adjustable



WHAT DOES EB-117B LOOK LIKE ?



HOW ABOUT EB-117B'S standard package?



EB-117B'S MAIN PARAMETER

Product Name:	4 wire smoke detector for fire alarm system with NO NC output adjustable
Model number:	EB-117B
Power supply:	DC 9~35V
Wire port:	4 port(Input power+, input power- ,Relay output(COM), Relay output(NO or NC)
Size:	100 diameter*60(mm)
Detecting area:	20 square meter
Alarm indication	Red LED light on
Suitable for:	Fire alarm panel system
Installation way:	Ceiling mounted
Working temperature:	-10 Degrees Celsius~ +50 Degrees Celsius
Working humidity:	0~90%RH(no condensation)
Weight:	0.18kg
LED:	2 LED light
Material:	ABS housing+ PCB board
Housing color:	White
Warranty:	2 years warranty
OEM:	Welcome OEM

WHAT FEATURES EB-117B HAVE?



1.4 wire fire alarm system photoelectric smoke detector

2.Working power 9~35V DC

3.Standby current :2 mA(24V NO), 13mA(24V NC)

4.Alarm current:18 mA(24V NO),6 mA(24V NC)

5.Alarm indication:Red LED on

6.Wire port: POWER+(In)/POWER-/ COM/

7.Suitable for fire alarm panel system


8.Conformed EN54-7/UL268 standard

9.2 years warranty , welcome OEM

HOW DOES EB-117B WORKING?



4 wire detectors wiring diagram



PCB board display



Where to installation?



Mall



Library



Bank

HOW ABOUT OTHER CHOICE?

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技

