

Access cotrol emdedded standalone reader EM 125KHz	
Model number	EA-65
Working voltage	12V DC
Working current	Less than 70mA
Reading distance	5cm-15cm
Card capacity	1000
Card type	EM 152KHz
Output load	12V DC 2A
Working temp	-20°C to +60°C

what are features of our EA-65 emdedded standalone reader?









Access cotrol emdedded standalone reader EM 125KHz


12VDC 2A output load

Support EM 125KHz, 1000 card capacity

5cm-15cm reading distance

Welcome OEM, 2 years warranty

IN-KIND SHOOTING



HOW ABOUT OTHER CHOICES?



OFFICE SHOW














CUSTOMERS











EXHIBITION



CERTIFICATION



HOW TO COOPERATE



PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express




















FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.