

Door release button

Aluminum panel, stainless steel button

Sandblast finished

500000 times mechanical test

Suitable for access control system

SMQT®



• Parameter

SMQT®

Parameter	
Product name	Aluminum panel door release/switch button
Model	EA-22
Dimension	EA-22A:86×50×20(mm) EA-22B:86×86×20(mm)
Standard Structure	Stainless steel button and alloy-al panel
Rating current	3A 36V DC Max
Mechanical test	500.000 times test
Suitable range	Access control system
Color	Sliver-grey
Usage	Access control sysetm door open
Relative Humidity	0~95%
Environment temprature	-20 °C-55 °C(14-131F)
Panel Material	Aluminum panel, Sandblast Finished
Net weight	EA-22A:0.16kg EA-22B:0.25KG

• In-kind shooting

SMQT®





EA-22A



EA-22B



EA-22A



EA-22B

Advantages

Aluminum panel with the sand blast treatment

Pure copper plating nickel button


500,000 times mechanical test

•Application

SMQT



Switch power supply



•Packaging & shipping

SMQT

Packaging list	
Product name	EA-22 Aluminum panel door release/switch button
Qty	100 pcs per carton
Carton size	47*37*29(cm)
Weight	17~26kg



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....