


**Auto Door access control Keypad Waterproof Metal Case Rfid  
125khz/13.56Mhz Access Control Keypad Stand-alone With 1000 Users**



**Single door access control keypad**

**1000 user capacity / 125KHz&13.56MHz optional**

**MQ-106's main parameter**

|                      |                                                                                                                                 |                   |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------|
| Product name:        | Auto Door access control Keypad Waterproof Metal Case Rfid<br>125khz/13.56Mhz Access Control Keypad Stand-alone With 1000 Users |                   |
| Model:               | <b>MQ-106C</b>                                                                                                                  | <b>MQ-106D</b>    |
| RFID frequency:      | <b>IC(13.56Mhz)</b>                                                                                                             | <b>ID(125Khz)</b> |
| Reading distance:    | 2~5cm                                                                                                                           |                   |
| User capacity:       | <b>1000 Cards</b>                                                                                                               |                   |
| Power supply:        | DC 12±10% V                                                                                                                     |                   |
| Static current:      | ≤100mA                                                                                                                          |                   |
| Door open time:      | 5s                                                                                                                              |                   |
| Working temperature: | 0°C~60°C                                                                                                                        |                   |
| Working humidity:    | 0%~95%                                                                                                                          |                   |
| Storage temperature: | 0°C~60°C                                                                                                                        |                   |
| Dimension:           | <b>130*58*24mm(error ± 3mm)</b>                                                                                                 |                   |
| Housing material:    | Metal                                                                                                                           |                   |
| Color:               | Silver                                                                                                                          |                   |
| Weight:              | 0.5kg                                                                                                                           |                   |

What feateurs MQ-106 have?

## Size



# Appearance





**Indicator light**

**Input keyboard**

**Door bell button**



**Buzzer**

**Wire port**

**Relay**

# 13.56MHz/125Hz optional




**MQ-106C:13.56MHz**



**MQ-106D:125KHz**


# Wire diagram



# Packing list



How about other choice?



## SMQT show




## Team



## Factory



# Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair