# Best Price Access Control USB Biometric Fingerprint Reader/Card Reader



Specification	
Product Name	Best Price Access Control USB Biometric Fingerprint Reader/Card Reader
Dimension	155mm*66mm*28mm
Fingerprint Capacity:	1000
Card Capacity	1000
Doorbell Function	Yes
Manual Activation	NO
Sensing Activation	NO
Sleep Function	NO
Red Light Prompts	Yes
Bule Light Prompts	Yes
Working Temperature:	0°C ~45°C

Working Humidity	20%-80%
Extra Functions:	Door bell, red/green LED indicator,controlling electric lock, system format, SD card upload/ download
Application	Home,office,company,hotel ,etc

# What's the features of our USB Biometric Fingerprint Reader/Card Reader?







## Fingerprint Standalone Access control

2 years quality warranty, welcome OEM&ODM

SD card operation of uploading downloading datas

Fingerprint capacity 1000pcs,card capacity 1000pcs

With door bell,LED indicator, system format and so on

### **IN-KIND SHOOTING**


















#### **SHOW CASES**



### **OFFICE SHOW**













#### **CUSTOMERS**











### **EXHIBITION**



#### **CERTIFICATION**



#### **HOW TO COOPERATE**

### PACKAGING AND SHIPING





#### **FAQ**

#### Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

#### Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

**Q:What is your MOQ?** 

A:No MOQ limit. The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.