# CE&RoHS 12V/24V/9-35V 4 wire conventional photoelectric smoke detector

## **Product Introduction**



Product Name:	CE&RoHS 12V/24V/9-35V 4 wire conventional photoelectric smoke detector
Dimension:	Φ104×51 mm
Operating voltage:	DC 24V
Static current:	≤2mA
Alarm current:	≤15mA
Enviroment temp:	-10°C~+50°C
Alarm output:	NO/NC
Alarm mode:	LED indication network output
Detection range:	20 sqm
Reset mode:	auto/power off reset
Weight:	222g

#### **Product Feature**

# What features of our conventional photoelectric smoke detector?



**CE&ROSH** certificate

2 years quality warranty

4 wires smoke detector more suitable for family use



Low power consumption


Welcome OEM and ODM

**Product Display** 


#### **IN-KIND SHOOTING**



# **APPLICATION**







#### **SHOW CASES**



#### **Company Information**

## **OFFICE SHOW**














## **CUSTOMERS**













## **EXHIBITION**



## **CERTIFICATION**



#### **Our Services**

## **HOW TO COOPERATE**



# PACKAGING & SHIPPING

Detection+Packing+Sealing+Fnishing+International Express




















#### **FAQ**

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit. The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.