

# Converter RS232 to RS485

Compatible with RS-232,RS-485/RS-422 standard of EIA/TIA

RS-232 interface, DB9(holes)

RS-422/RS-485 interface,DB9(pin) with 6 terminals

300-115.2kbps transmission speed


Twisted-pair cables as transmission medium

With protection of  $\pm 15\text{KVESD}$ ,RS-422/RS-485 of 600W lightning strike and surge power of each line.

3500VRMS isolation

500VDC isolation voltage

**SMQT**



## • Parameter

**SMQT**

Parameter	
Product name	Data switch converter RS232 to RS485
Model	EA-05
Dimension	90L * 65W * 25.5H (mm)
External power supply	DC 9V
Serial feature	Interface compatible with EIA / TIA RS-232C, RS-485 / RS-422 standard
Electrical Interface	RS-232C interface DB9 female connector port, RS-422 / RS-485 Interface DB9 female connector and is equipped with six terminals
Signal indication	Three signal lights TXD RXD POWER
Transmission medium	Shielded twisted pair wire
Transmission rate	300-115.2KBPS
Protection class	RS-232 interface $\pm 15\text{KVESD}$ protection, RS-422 / RS-485 interface to 600W per line lightning surge protection
Isolation	3500VRMS
Color	grey
Usage	Access control system
Relative Humidity	5%~95%
Environment temperature	0 °C ~ 50 °C
Net weight	0.62kg

## • In-kind shooting

**SMQT**



• *Feature*

# EA-05



## Converter RS232 to RS485

Interface compatible with EIA / TIA RS-232C,  
RS-485 / RS-422 standard

Electrical Interface:

RS-232C interface DB9 female connector port,  
RS-422/485 Interface DB9 female connector

Transmission medium: shielded twisted pair wire

300-115.2KBPS transmission rate

Lightning surge protection

Working Humidity: 5%~95%

Environment temperature: 0 °C ~ 50 °C


Net weight: 0.62kg

Welcome OEM and 2 years quality warranty



# Application

SMQT



# Packaging & shipping

SMQT

Packaging list	
Product name	Data switch converter RS232 to RS485 EA-05
Qty	20 pcs per carton
Carton size	43*30*37(cm)
Weight	14kg



WE LOGISTICS



## • Office show

SMQT



## • Exhibition

SMQT



## FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.