

Product Name:	Door over current short-protect security access control power supply
Model:	EA-38
Input Frequecy:	50 Hz
Output Voltage:	12V DC
Output power:	36W
Output Cureent:	3 A
Time Relay:	0-10 second
Input Voltage:	220-240 VAC
Dimension:	212*172*70mm
Frequency of Remoter:	315 MHz/433MHz
Capacity of Remoters :	30pcs

What Features of our UPS?

 $1. \ Less \ Power \ consumption \ , \ and \ high \ power. \ Small \ switching \ transistor, \ greatly \ improve \\ the \ efficiency.$


- 2. Switch power supply small size and light weight.
- 3. Switch power supply regulator with a wide range, voltage regulator works well.
- 4. Filtering efficiency gains, so that the capacity and size of filter capacitor greatly reduced.
- 5. Cooling is small, does not require heat sinks.

IN-KIND SHOOTING












APPLICATION





SHOW CASE













OFFICE SHOW













CUSTOMER














EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are ac ceptable.

O: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for orde r less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The de livery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel

can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1 527 or our wireless sensors.