

# Plastic door release button

- Fireproof ABS panel*
- 100000 times mechanical test*
- Suitable access control system*
- Bottom case is optional*
- 3 appearance model optional*



## • Parameter



Parameter	
Product name	Plastic door release/switch button
Model	EA-26
Dimension	A:86×86×20(mm) B:86×86×20(mm) C:86×86×30(mm)
Standard Structure	Fireproof ABS housing
Rating current	3A 36V DC Max
Contact Output	A:NC/COM B:NC/NO/COM C:NC/NO/COM
Mechanical test	100.000 times test
Optional Accessories	Concealing Box
Suitable range	Open door
Color	White, grey
Usage	Access control system
Relative Humidity	0~95%
Environment temprature	-20 °C-55 °C
Panel Material	Painting Fireproof Material
Net weight	A:0.064kg B:0.07kg C:0.052kg

## • In-kind shooting







**EA-26A**



**EA-26B**



**EA-26C**

*Plastic Door release button*

*Fireproof ABS plastic panel*

*Passed 100000 times mechanical test*

*Suitable for access control system*

*Embedded bottom box is optional*

*2 years warranty, welcoem OEM*

## • Application

SMQT®



Switch power supply



Converter  
(RS232 to RS485)



Door release  
button EA-26



Standalone  
controller



PC

## • Packaging & shipping

SMQT®

Packaging list	
Product name	EA-26 Plastic door release/switch button
Qty	100 pcs per carton
Carton size	47*37*29(cm)
Weight	8kg



WE LOGISTICS



## • Office show

SMQT



## • Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....