Parameter

Product number	EA-82K (Optional black and white)
Operating Voltage	$DC12V \pm DC3V$
Power consumption	<2W
Card Type	125KHZ ID
Reading distance	60mm
Store records	10000
registered user	10000
communication method	RS485
Transmission rate	9600bps (N, 8,1)
Storage memory	4MbitsFLASHMemory
Dimensions	96L * 96W * 22H (mm)
Housing Material	PC
Operating temperature	-30 °C ~+ 65 °C
Open the door	Credit card/Card + password/UID + password/Public Password

Introduction

The rfid access control system with the TCP/IP ,RS485 port connet the PC work with the software.It is the rfid access control keypad waterproof standalone reader with unique design.

* Unique Designs (**Appearance patent**), The shell with a matte treatment, feel comfortable.

* uses laser engraving technology, wear on the digital keyboard, prolonged use will not fall; energy-saving keyboard having breathingbackgroundLight, Takeout doorbell button, even more stylish.

* selection of imported PC material, impact resistance, heat resistance, corrosion resistance is strong.

* have advanced FLASH storage technology, even if power is turned off to save the data for 10 years.

* has a group session control function 100, the user can open the door to the time and manner regulation. Available on the machine settings (**When offline**) May be provided in the software.

* can register the user card on the machine by administrator card(When offline) To be registered by the user software.

SMQT



* More than seven kinds of flexible use of passwords, access control is not super password, personal password can be set directly on the machine can also be set in the software (When networking).
* has anti-stress function, input reverse personal passwords, alarm signal output immediately after the open, accessible alarm center.
* to access the recorded data can be imported via software as attendance records.

* Built-in card reader, but with WG signal output, external card reader (**WG26 / 34**), bi-directional swipe.

* high security performance, waterproof (Level IP67), Tamper.

* has a reverse current protection, lightning protection, anti-crash design, self-detection.


* pluggable wiring, easy to install


* free software, features simple and clear, easy to operate.



Dimesion Picture

SMQT









Office

SMQT



Exhibitions

SMQT

