

| Specification      |                                    |
|--------------------|------------------------------------|
| Product name       | Wired Magnetic Door Contact Sensor |
| Model number       | EB-134                             |
| Dimensions         | 24L * 14W * 6H (mm)                |
| Connection         | Normally open / normally closed    |
| Operating distance | 20 ± 5 (mm)                        |
| Maximum pressure   | ≤100VDC                            |
| Load current       | ≤500mA                             |
| Working Power      | ≤10W                               |
| Housing Material   | ABS fireproof material             |
| Shape color        | Brown / White                      |
| Scope              | Non-ferrous door or window         |
| product weight     | 10g                                |

Back of adhesive tape to provide easily installed in the door or window.

Ideal security office, home, shops, entrance.

When someone illegally open door or window it immediately send an alarm signal, the control panel receives the alarm signal immediately, the 120-decibel alarm sound.



**2 Color optional**



**White**



**Brown**

● Installations

**SMQT**

## Wired Magnetic Door/Window Contact Sensor



● Packing list

**SMQT**

| <b>Packaging information</b> |                          |
|------------------------------|--------------------------|
| Qty                          | 1000 / box               |
| Carton size                  | 37.5L * 29.5W * 20H (cm) |
| Weight                       | 9.76Kg                   |





● Exhibitions



2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair

.....