Parameter

SMQT

Name	Ceiling-mounted PIR Detector
Model	EB-183
Dimension:	Φ106x36 (mm)
Operating voltage:	DC12V
Comsumption current:	18 mA
Detecting distance:	Φ8m
Detecting angle:	360°
Alarm output:	NO/NC
Installation mode:	Ceiling-mounted
Installation height:about :	2.2m-3.6m
Material:	fireproof ABS housing
LED:	ON/OFF(optional)

Introduction

SMQT

1-12v indoor infrared motion detector EB-183
2-Dimension:107*59*40 mm
3-Material:fireproof ABS housing
4-PIR sensor
5-OEM
6.used with the gsm alarm,security alarm system.

The PIR sensor alarm is the mini passive infrared motion sensor ceiling with 12V.

Detecting Area View



Planform



Side View

Dimesion Picture

SMQT



Installations

SMQT

Features

SMQT

1. High stability, adopted advanced technology in signal processing and provide superhigh detection
   ability and anti error alarm.
2. suitable for the safety of residential house,villa, factories, markets,warehouses, office building etc.

The features picture of the pir ceiling-mounted sensor showed as follow:

inside picture of detector



wired connect PCB

Tamper on PCB

ceiling mounted sensor

Office

SMQT

Exhibitions

SMQT

2011 Brazil Fair
2012 Shenyang Fair
2013 Jinan Fair
2013 Shenzhen Fair
共赢
.....
2012 Shenyang Fair
2013 Shenyang Fair
2013 Shenzhen Fair
2015 Shenzhen Fair