# **Emergency Infrared No touch LED Indicator EXIT button for Home Safety**

#### **Product Introduction**



Parameter		
Product name	Infrared induction no touch door switch button	
Model	EA-21A / EA-21B	
Dimension	EA-21A:85×52×25(mm) EA-21B:86×86×39(mm)	
Input voltage	DC 12V	
Induction Angle	<115°	
Capacity of power	<4W	
Induction Distance	10 cm	
Contact output	NO/NC/COM	
Mechanical test	500.000 times test	
Suitable range	Hollow Door	

Usage	Access control sysetm and doorphone system
Relative Humidity	0~95%
Environment temprature	-20 °C-50 °C
Net weight	EA-21A:0.046kg EA-21B:0.106kg

#### Product Feature

# What features of our Emergency Infrared No touch LED Indicator EXIT button?



**Product Display** 

# **IN-KIND SHOOTING**



### Application



Show Cases

SHOW CASE



#### **Company Information**

**OFFICE SHOW** 











## **CUSTOMERS**









### **EXHIBITION**



CERTIFICATION



#### **Our Services**

## **HOW TO COOPERATE**




# **PACKAGING & SHIPPING**

Detection+Packing+Sealing+Fnishing+International Express







## Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

**Q:What is your MOQ?** 

A:No MOQ limit.The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea),or appointed by buyer,7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.