

Factory Wholesale Access Control Alarm system Overhead Magnetic Sensor Zinc Alloy Material with L bracket



EB-137F'S MAIN PARAMETER

Product Name:	SMQT meta shell magnetic contact sensor
Model number:	EB-137F
Working voltage:	Max DC 100
Working current:	Max 0.5A
Power consumption:	10W
Mode:	NC(Normally closed)/ NO(Normally open)
Induction gap:	30~70mm
Size:	Reed part:105*47.5*9.5(mm) Magnet part:105*15.7*15(mm) L bracket:107*50*50(mm)
Feature:	Shutter door usage
Suitable for:	All kinds of door access control system and burglar alarm system
Material:	Alloy-zn housing+ PCB board+Reed switch
Housing color:	Silver







Weight:	1 pairs per bag, per bag weight 0.3kg
Warranty:	2 years warranty
OEM:	Welcome OEM

What features EB-137F's have?

Apperance



Size




: mm


Waterproof



NC mode working principle



Installation



Packaging



1pairs per bag

HOW ABOUT OTHER CHOICE?



EB-131A



EB-131B



EB-132



EB-133



EB-134



EB-135A



EB-135D



EB-135L



EB-136



EB-137A/B



EB-138A/B/C



EB-139A/B



EB-139D



EB-139C



EB-140



EB-141

SMQT show



Team



Factory

CERTIFICATE OF CONFORMITY



