

Product Name:	Fire gsm alarm system smoke detector wireless connected, smoke detector brands
Model:	EB-117W-2
Dimension:	Φ105×40 mm
Operating voltage:	alkaline 9V battery
Alarm volume	≥95dB
Enviroment temp:	-10°C~+50°C
Alarm output:	NO/NC
Alarm mode:	LED indication network output
Detection range:	20 sqm
Reset mode:	auto/power off reset
Weight:	222g

What Features of our smoke detector?





- 1. Wireless smoke detector 95db voice alarm.
- 2. 433Mhz /868Mhz optional. CE & ROHS CERTIFICATE.
- 3. Warranty for 2 years, welcome for OEM/ODM.

IN-KIND SHOOTING














APPLICATION



SHOW CASE



OFFICE SHOW













CUSTOMER














EXHIBITION



CERTIFICATE



HOW TO COOPERATION



FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.