

NEW

PRODUCT THE ARRIVAL OF THE GOODS



SMQT

<https://eis.en.alibaba.com/>


search

THE INTERNATIONAL WEBSITE


Specification

Product name	Fire strobe light sounder alarm siren 105db,high db siren,outdoor strobe siren
Model	EB-162
Size	126*120*107(mm)
Working voltage	DC 12~30V
Alarm current	<40mA(according to working way)
Sound pressure	105db
Audio source	8 tones and light combination (freely adjustable)
Ligh flash cycle	<1.3s
Working temperature	-20°C~50°C
Installation Way	Wall hanging
Alarm indicator	Red LED Light
Operating humidity	95%RH
Storage temperature	-20°C~60°C
Color	Red
Weight	0.4kg





What Features of our fire sounder?



Front



Side



Code setting	Operating Voltage DC12V, switch "NO" to "0"		
Switch 123	Sound species	Pulse description	DB level
L.L./000	119	High level 180uS, low level max: 1800uS, min: 880uS	116+/-2db
H.H.L./110	Last "di" 0.7hz	High level 85uS, low level 890uS	110+/-2db
L.H.L./010	Sounding "di"	High level 115uS, low level 460uS	114+/-2db
H.L.L./100	High sound 119	High level 185uS, low level max: 1150uS, min: 960uS	115+/-2db
L.H.H./011	Normal 120	High level 180uS, low level max: 2090uS, min: 1620uS	116+/-2db
H.L.H./101	High sounding "di"	High level 95uS, low level 930uS	111+/-2db
L.L.H./001	120 with fast	High level 180uS, low level max: 2090uS, min: 1620uS	114+/-2db
H.H.H./111	High sound 120 with fast	High level 140uS, low level max: 1100uS, min: 950uS	118+/-2db


8 Types
Voice & light combination
freely adjustable



Suitable for all kinds of emergency situation!



IN-KIND SHOOTING



SHOW CASE

SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



SMQT
铭汗科技



OFFICE SHOW



CUSTOMER



EXHIBITION



CERTIFICATE



HOW TO COOPERATION



Trade terms:	EXW
Payment terms:	T/T, Western union, Paypal etc
Delivery time:	Normal order within 7 days, bulk order 10-15days
Packing:	Neutral paper box and paper carton
Shipping:	Express company or by sea, by air or appointed by buyer

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The delivery time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory and take picture for your second confirmation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel can work with all dry contact wired detectors and wireless detector, including almost all of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV1527 or our wireless sensors.