High Sensitivity Touch plexiglass access control door release button

Product Introduction



Specification				
Product Name	High Sensitivity Touch plexiglass access control door release button			
Model	EA-20A,EA-20B			
Dimension	A:86×56×25(mm) B:86×86×25(mm)			
Input voltage	DC 12V			
Standard structure	touch Plexiglass			
Mechanical test	500,000 times test			
Suitable range	Hollow Door			
Color	Black panel, Sliver frame			

USAGE	Access control sysetm and doorphone system
Relative Humidity	0~95%
Environment temprature	-20 °C-50 °C
Net weight	A:0.06kg, B:0.09kg

Product Feature

What features of our Touch plexiglass access control door release button?

Specification

Input voltage:DC 12V

Working current:50ma

Electrocal properties:

3A @ 12V DC

Contact output: NO/NC/COM CONTACT

Durability test:

five hundred thousand times aging test qualified

Type :for narrow doorcase or metope installed directly

Applicable temperature:

-20 ~ 50 °C

Suitable humidity:0 ~ 95% (relative humidity)



1 Superior Design
Touch push button design simple

and beautiful, Panel using organic glass materials, touch induction to open the door, button USES the interactive design of light touch response. Internal using PC rubber production, high temperature resistant do not fade



Resistance to heat shock Organic glass touch responsive



2 Product components
500,000 times test qualified,the
relay switch power output, (NO
NC COM)3 lines button suitabel
all Access control system

NO NC COM,3 lines

3 Strong stability
Waterproof and dustproof more
durable and strong, resistance
to high temperature shock do
not fade.

Waterproof and Dustproof Stable solid long life



Product Display

IN-KIND SHOOTING



APPLICATION











Switch Power Supply



Switch Power Supply



Packaging & Shipping

Package includes: 1 set of Push Touch Exit Button (full accessories as the pictures show)









1.Powerful R&D team can provide customized features and functions, referring to different

requirements from different customers.

- 2.Payment term: T/T, Western Union, and Paypal.
- 3.24 hours aftersale service is provided with the professional technical support and training.
- 4. Our artist team can provide Neutral pictures for distributor's website promotion.
- 5. Optional shipping service: couriers (UPS , DHL , TNT , and Fedex), by sea, and by air.

Company Information

OFFICE SHOW













CUSTOMERS













EXHIBITION



CERTIFICATION



FAQ

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acceptable.

Q:What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days.

Q:What is your MOQ?

A:No MOQ limit. The more quantity the more discounts.

Q:How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea), or appointed by buyer, 7-15 days.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, we would make sampling firstly from silk print factory

and take picture for your second confirmation before mass production.

How to contact us? Click the enter send us inquiry below.