

Infrared induction door release button

No touch infrared induction

Induction distance 10~20cm

500000 times mechanical test

Suitable for access control system

SMQT®



• Parameter

SMQT®

Parameter	
Product name	Infrared induction door switch button
Model	EA-21A / EA-21B
Dimension	EA-21A:85×52×25(mm) EA-21B:86×86×39(mm)
Input voltage	DC 12V
Induction Angle	<115°
Capacity of power	<4W
Induction Distance	10~20 cm
Contact output	NO/NC/COM
Mechanical test	500.000 times test
Suitable range	Access control system
Color	grey /black
Usage	Access control system and doorphone system
Relative Humidity	0~95%
Environment temprature	-20 °C-50 °C
Net weight	EA-21A:0.046kg EA-21B:0.106kg

• *In-kind shooting*

SMQT™





EA-21A



EA-21B



No touch infrared induction door release button

500000 times mechanical test


LED back light indication

Stainless steel panel,wire drawing finished

Welcome OEM&ODM

• Application

SMQT



• Packaging & shipping

SMQT

Packaging list	
Product name	EA-21 Infrared induction door switch button
Qty	100 pcs per carton
Carton size	37*30*29(cm)
Weight	12kg



• Office show

SMQT



• Exhibition

SMQT

2011 Brazil Fair



2012 Shenyang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2012 Shenyang Fair



2013 Shenyang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair



.....