

**Factory Wholesale Fire Alarm Emergency call Button/Key resettable
Manual press and psuh Call Point Fire Alarm Button**



EB-113's MAIN PARAMETER

Specification	
Product name:	Key resettable Manual press and psuh Call Point Fire Alarm Butto
Model:	EB-113
Dimension:	140×105×45(mm)
Contact Output:	NO/NC
Working voltage:	9~28V DC
Alarm current:	45mA @ 24V DC
Operating humidity:	10%~93%
Operating temperature:	-10°C to 50°C(14°F to 122°F)
Reset:	Key-reset
Setting mode:	wall-mounted
Suitable for :	Conventional fire alarm system

Material :	Fireproof ABS housing
Shell color:	Red color
Net weight:	0.26KG


1. Key-reset
2. Applicable conventional fire alarm system

What feateurs EB-113 have?

Appearance





Size




:mm

Wire diagram



Packing list



HOW ABOUT OTHER CHOICE?



SMQT show



Team



Factory



Certificate



2011 Brazil Fair



2012 shen yang Fair



2013 Jinan Fair



2013 Shenzhen Fair



2017 Shenzhen Fair



2012 shen yang Fair



2013 shen yang Fair



2013 Shenzhen Fair



2015 Shenzhen Fair