Product Name	LED 8 wired 16 wireless PSTN&GSM alarm panel box,alarm for home
Model	EB-852
Metal case dimension	256×236×69(mm)
Keypad size	159mm×138mm×33mm
Power supply	220V AC±10%/ 50Hz
Static current	≤50mA(when not charging)
Alarm current	≤200mA
Output power	12v~15vDC/≤1.5A
Siren output	12v ≤400mA
GSM Frequency	850/900/1800/1900Mhz
Wired and Wireless zones	16 wireless zones and 8 wired zones
Distance between Metalcase and wired keypad	≤30m
Working temperature	-10℃~+70℃
Working humidty	<97%

System Wireless Frequency	315Mhz/433Mhz(2262 coding chip)(optional)
Communicating format	ADMCO4+2,CID
Recording Time	10~20s
Material	Steel box and ABS Keypad
Wired Alarm Input	NO/NC

What Features of our gsm alarm panel?



1. High speed digital communication, compatible ADEMCO4+2, CID digital communication protocol;Send alarm signal to alarm center.

2. GSM, fixed telephone, SMS, GPRS multiple alarm transmission mode.
3. Custom modify alarm message alarm content.
4. GSM, fixed telephone network to dial, you can customize which priority network.
5. Different programmable settings, such as alarm sounds, zone types, recording, monitoring, remote controlling, telephone number, phone line Check, and etc.
6. 1 group 6 bits primary passwords, 15 groups subsidiary setting passwords are available to improve security.
7. 6 groups of phone number and 3 group alarm center phone number could be set.
8. 9 ARM modes: SMS protection, exit ARM, boundary ARM, single zone ARM, delay ARM, remote ARM, compel ARM, remote ARM and preset time ARM.
9. The alarm dialing is in priority.
10. "Watch dog" function, to avoid system down.

IN-KIND SHOOTING

APPLICATION



SHOW CASE

SMQT 深圳市铭汗科技有限公司 SHENZHEN MINGQIAN TECHNOLOGY CO.,LTD
https://eis.en.alibaba.com

OFFICE SHOW

CUSTOMER

EXHIBITION

CERTIFICATE

HOW TO COOPERATION

Trade terms:	**EXW**
Payment terms:	**T/T, Western union, Paypal etc**
Delivery time:	**Normal order within 7 days, bulk order 10-15days**
Packing:	**Neutral paper box and paper carton**
Shipping:	**Express company or by sea, by air or appointed by buyer**

FAQ

Q:Can I have a sample order?

A:Yes, we are willing to offer trial sample order to you for quality test. Mixed samples are acc eptable.

Q: What is the lead time?

A:Sample needs 1-3 working days, mass production time needs 10-15 working days for order less than 5000pcs.

Q: Do you have any MOQ limit?

A:EXW MOQ is 100pcs under blank box.

Q: How do you ship the goods and how long does it take arrive?

A:The sample will be sent to you by optional shipping service (couriers, air, and sea). The deli very time depends on the shipping service.

Q:How will we proceed the order if I have logo to print?

A:Firstly, we will prepare artwork for visual confirmation. If the color and position are right, w e would make sampling firstly from silk print factory and take picture for your second confirm ation before mass production.

Q: Does alarm panel work with any sensor?

A:The alarm panel
can work with all dry contact wired detectors and wireless detector, including almost all

of the wireless sensors from Chinese manufacturers. The wireless encode and decode is EV15 27 or our wireless sensors.